PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION . International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5:		(11) Internation	nal Publication Numbe	r: WO 92/19165
A61B 17/36, B44C 1/22	A1	(43) Internatio	nal Publication Date:	12 November 1992 (12.11.92)
(21) International Application Number: PCT/GE (22) International Filing Date: 22 April 1992		ha	t: AJELLO, Michael, l, Stockport, Cheshire	John: 207 Moss Lane, Bram- SK7 1BA (GB).
(30) Priority data: 9108777.5 24 April 1991 (24.04.91) (71) Applicant (for all designated States except US): TORIA UNIVERSITY OF MANCHESTER [Oxford Road, Manchester M13 9PL (GB). (72) Inventors; and (75) Inventors/Applicants (for US only): KING, Tere [GB/GB]; 5 Lindsay Avenue, Cheadle Hulm port, Cheshire SK8 7BQ (GB). BANNISTER, seph [GB/GB]; 101 Shaw Lane, Glossop, ESK13 9EE (GB).	THE VI GB/GI nce, Al ne, Stoo John, J	(Eigh part of the	ropean patent), BF ((ent), BR, CA, CF (OA), CH (European patent), CS, DE, (European patent), G/(European patent), G/(European patent), HU, IT (European (European patent), MR, MR, MR, Iropean patent), NO, P	European patent), AU, BB, BE DAPI patent), BG, BJ (OAPI PI patent), CG (OAPI patent), ent), CI (OAPI patent), CM, DE (European patent), DK, SS, ES (European patent), FI, A (OAPI patent), GR (European papatent), JP, KP, KR, LK, LU, C (European patent), MG, MI, NL, RO, RU, SD, SE, SE (Europeant), TO (OAPI patent), TG
		Published Wit	h international search r	eport.
· .			·	·
(54) Title: ERADICATION OF MARKS AND STA	INS B	LASER		•

(57) Abstract

A method of and apparatus is described for eradicating marks and stains at or beneath the surface of a substrate. The technique involves the use of a variable wavelength pulsed laser and an optical fibre delivery system to direct a spot of laser light at the treatment site. The laser produces an output in the form of a pulse having a duration in the range of 0.1 to 100 microseconds. at an energy level in the range of 0.5 to 5 Joules at a wavelength in the range of 400 to 900 nanometres. The output may consist of a single pulse or a sequence of pulses with a repetition rate selectable from 1 to 20 Hz. Marks in many different material may be eradicated using this technique. Examples are leather, wood, plastics and skin lesions such as tattoos and "port wine stains".

Best Available Copy

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identity States party to the PCI on the front pages of pamphlets publishing international applications under the PCT.

			ļ	141	Mais
AT	Austria	FI	Finand	MI	
AL	Austrud.	FR	France	M∿	Mongolia
	•	GA	Carbon	MR	Mauritania
BB	Barbalos			MW	Malawi
8E	Belgran	GB	United Kingdom	NI	Netherlands
8F	Barsina haso	GN	Guinca	NO	Norway
BG	Buigaria	GR	Greece		·
BJ	Benin	HU	Hungary	PI.	Poland
_	Brazil	IE	Ireland	RO	Romania
BR		ir	Italy	Rij	Russian Federation
CA	Callada			SD	Sudan
CF	Central African Republic	16	Japan	SE	Sweden
CC	Congo	KP	Democratic People's Republic	SN	Senega!
CH	Switzertand		of Korca		
CI	Côte d'Ivane	KR	Reputilic of Korea	SU	Soviet Union
CM1	Cameroun	LI	Liechtenstein	TD	Chad
_		LK.	Sri Lanka	TC	Τοςο
CZ	Czechostowakta			US	United States of America
DE	Ciurniany	LU	Lazembourg		
DK	Danmark	MC	Monaco		
ES	Spain	MG	Madagascar		
	ol				

_ 1 _

ERADICATION OF MARKS AND STAINS BY LASER

THIS INVENTION concerns a method of and apparatus for eradicating marks and stains by laser and is particularly though not exclusively concerned with removal of pigmentation at or beneath the surface of a substrate.

Applications of the method are manifold, such as removal of marks and stains in hides or made up articles of leather, from wood especially in articles of furniture, from textiles and articles of clothing, and any application where pigmented or other marks or stains require elimination without damage to the surrounding substrate. A further example is the removal of skin lesions including pigmented lesions such as tattoo marks, moles, etc, and vascular lesions such as "port wine" stains.

Attempts have been made to remove pigmented marks using a Q-switched ruby laser. Such a laser generates a very short pulse duration in the region of 10 to 30 nano seconds and imposes power densities on the substrate in the region of 1,200 to 2,800 GW m⁻². Such power densities may cause damage to the surrounding substrate. Furthermore, a Q-switched ruby laser cannot deliver its treatment beam to the site using a flexible optical fibre. This is due to the very high power densities generated, and an articulated arm must be used for delivery.

Additionally, ruby lasers operate on a single wavelength system, usually 693 nanometres.

An object of the present invention is to provide a method of and apparatus for the eradication of marks and stains, using a tunable laser which is effective in removal whilst operating at power densities far less than that generated by a Q-switched ruby laser, and with longer pulse duration, and wherein a flexible optical fibre may be used to deliver the treatment beam to the site.

According to the present invention there is provided a method of eradicating marks and stains at or beneath the surface of a substrate, comprising the step of directing at said surface, laser light generated by a variable wavelength pulsed laser, the laser operating to produce an output in the form of a pulse having a duration in the range of 0.1 to 100 microseconds, at an energy level in the range of 0.5 to 5 Joules, and at a wavelength in the range of 400 to 900 nanometres.

In a preferred method the laser produces a sequence of pulses with a repetition rate in the range of 1 to 20Hz.

Still further, the laser energy is preferably delivered to the surface via a single or multiple core optical fibre having a core size in the range of 600 to $1500\mu m$.

In this way, the fibre optic delivery system may be handheld allowing for the adjustment of the spot size of the laser beam on the surface, so that it can be selected within the range of 1 to 100mm in diameter.

The basic principle behind the method is that the laser is used to irradiate the site of the mark or stain in the substrate, and the wavelength at which the laser operates is chosen so that the mark or stain absorbs the radiation whilst unmarked surrounding substrate absorbs only little and so is not damaged. In this way a selective effect is obtained.

Further according to the present invention there is provided a pulsed laser apparatus for eradicating marks and stains at or beneath the surface of a substrate, the apparatus comprising a variable wavelength pulsed laser which is tunable to produce an output in the form of a pulse having a duration in the range of 0.1 to 100 microseconds, at an energy level in the range of 0.5 to 5 Joules, and at a wavelength in the range of 400 to 900 nanometres.

The apparatus comprises a fibre optic delivery system incorporating an optical fibre having a core size in the range 600 to $1500\mu m$.

It is believed that the aforesaid method may be effected in many different applications such as the removal of pigmentation marks and stains at or beneath a translucent surface and also for creation of marks, for example, on self-coloured plastics material by removing pigmentation preferentially in selected areas thus to produce

identification marks. One example of such application is an electrical cable having self-coloured sheathing which, by the application by the laser light in accordance with the invention may be selectively marked.

Coloured substrates may have a pattern or printing imposed thereon, by selective eradication of pigmentation. These effects may be established at and/or just beneath the surface of the substrate thus to be visible thereat.

An embodiment of the method in accordance with the invention will now be described in relation to the removal or reduction of skin lesions such as tattoo marks and port wine stains.

A tattoo mark is produced by a dark pigment (usually blue or black) introduced into the dermis. The particles of pigment are not removed by normal cellular activity and so the mark is permanent. The colour particles which make up the tattoo usually absorb well at wavelengths in the red part of the spectrum corresponding to a wavelength in the range of 650 to 700nanometres. However, these wavelengths are not absorbed by normal unmarked skin and so are scattered such that the energy is dissipated over a relatively large area with little or no effect on normal tissue.

In the lesion itself the radiation is very efficiently absorbed and so the energy is concentrated in or around the pigmented area.

The design of the laser system is such as to increase the discrimination between tissue which forms part of the lesion, and normal unmarked tissue. For example, pulsed energy is important. A pulse of energy is deposited in the effected tissue for a time which is short when compared with the thermal relaxation time of the tissue. This means that the heat is generated locally and will not significantly spread by conduction to other, non-pigmented tissue. Thus, thermal injury to the adjacent tissue is avoided. This is an important aspect of the present invention for use on skin lesions, in contact with methods which use continuous wave lasers (including carbon dioxide and argon lasers) producing a much higher degree of thermal injury to the surrounding tissue. Furthermore, pulsed radiation generates an acoustic shock wave at the treatment site, which generally improves the effectiveness of the treatment. appears to be due to the breakup of pigmented particles into smaller pieces which can then be removed by normal cellular activity. To generate a shock wave the pulse must be of a duration in the range of 0.1 to 100 microseconds, with an optimum duration of between 1 and 5 microseconds.

A tunable or variable wavelength laser may be used to treat skin lesions in several different ways. For example, for complete removal within one or two treatment sessions, the area treated should be in the region of 1 to 3mm in diameter, per pulse. However, the consequent high energy density results in selective thermal injury and there would be some scarring, but this will heal well and is not extensive. This process compares most favourably

with existing practice using, for example, carbon dioxide lasers where there is no tissue selectivity and where removal of a large area of tissue is required with significant thermal injury and scarring. In effect, when laser apparatus is used in accordance with the invention it requires much less operator skill since it is less likely to produce accidental or co-lateral thermal damage when compared with existing processes.

In alternative eradication mode a spot size of 3 to 5mm may be treated requiring 3 to 4 sessions for each irradiated area. Consequently, this results in much less thermal damage but requires a greater number of process sessions.

Again, complete removal of pigmented lesions can be achieved with no residual scarring at all, but in this case some 5 to 7 process sessions on a larger site would be required, resulting in gradual fading of the lesion.

When the process is applied to the eradication of vascular lesions such as "port wine stains", the pulse duration must be selected in the range of 20 to 100 microseconds, whilst the wavelength should be in the region of 500 to 600 nanometres.

Selection of the operating parameters of the laser within the scope of the invention as aforesaid may be made according to the nature of the mark or stain to be removed, and of the substrate material.

The laser may be either a flash tube excited laser or a tunable solid state laser such as a titanium sapphire laser.

It is envisaged that the operating ranges of the laser may be selected automatically by a control function which responds to a selection of a mark/substrate type. In this way, semi-skilled or perhaps even unskilled technicians may be capable of eradicating marks and stains effectively.

CLAIMS

- 1. A method of eradicating marks and stains at or beneath the surface of the substrate, comprising the step of directing at said surface, laser light generated by a variable wavelength pulsed laser, the laser operating to produce an output in the form of a pulse having a duration in the range of 0.1 to 100 microseconds, at an energy level in the range of 0.5 to 5 Joules, and at a wavelength in the range of 400 to 900 nanometres.
- 2. A method according to Claim 1, wherein said pulse duration is in the range of 0.1 to 20 microseconds.
- 3. A method according to Claim 1, wherein said pulse duration is in the range of 20 to 100 microseconds.
- 4. A method according to Claim 1 or Claim 2, wherein said pulse wavelength is in the range of 400 to 800 nanometres.
- 5. A method according to Claim 1 or Claim 3, wherein said pulse wavelength is in the range of 500 to 600 nanometres.
- 6. A method according to any preceding claim, wherein the laser output consists of a sequence of pulses with a repetition rate selectable in the range of 1 to 20Hz.
- 7. A method according to any preceding claim, wherein the laser energy is delivered to the substrate surface via an optical fibre

having a core size in the range of 600 to $1500 \mu m$.

- 8. Apparatus for eradicating marks and stains at or beneath the surface of a substrate, comprising a variable wavelength pulsed laser adapted to produce an output in the form of a pulse having a duration in the range of 0.1 to 100 microseconds, at an energy level in the range of 0.5 to 5 Joules, and at a wavelength in the range of 400 to 900 nanometres.
- 9. Apparatus according to Claim 8, wherein said pulse duration is in the range of 0.1 to 20 microseconds.
- 10. Apparatus according to Claim 8, wherein said laser is adapted to produce a pulse of duration in the range of 20 to 100 microseconds.
- 11. Apparatus according to Claim 8 or Claim 9, wherein said laser is adapted to produce a pulse of wavelength in the range of 400 to 800 nanometres.
- 12. Apparatus according to Claim 8 or Claim 10, wherein said laser is adapted to produce a pulse of wavelength in the range of 500 to 600 nanometres.
- 13. Apparatus according to Claim 8, in which said laser is adapted to produce a sequence of pulses at a repetition rate selectable from 1 to 20Hz.

- 14. Apparatus according to any one of Claims 8 to 13, including an optical fibre connected to the output of the laser for delivery of said laser light, and having a core size in the range of 600 to $1500\mu m$.
- 15. A method of eradicating skin lesions including pigmented lesions such as tattoo marks, moles, etc. and vascular lesions such as "port wine stains", the method comprising the steps of directing at the treatment site, laser light generated by a variable wavelength pulsed laser, the laser operating to produce an output in the form of a pulse having a duration in the range of 0.1 to 100 microseconds, at an energy level in the range of 0.5 to 5 Joules, and at a wavelength in the range of 400 to 900 nanometres.
- 16. A method according to Claim 15, wherein said pulse duration is in the range of 0.1 to 20 microseconds for removal of pigmented lesions.
- 17. A method according to Claim 15, wherein said pulse duration is in the range of 20 to 100 microseconds for removal of vascular lesions.
- 18. A method according to Claim 15 or Claim 16, wherein said pulse wavelength is in the range of 400 to 800 nanometres for pigmented lesions.
- 19. A method according to Claim 15or Claim 17, wherein

said pulse wavelength is in the range of 500 to 600 nanometres for vascular lesions.

- 20. A method according to Claim 15, wherein said pulse duration is in the range of 1 to 5 microseconds for pigmented lesions.
- 21. A method according to any one of Claims 15 to 20, wherein the laser energy is delivered to the lesion site via an optical fibre having a core size in the range of 600 to $1500\mu m$.
- 22. A method according to Claim 21, wherein the optical fibre delivery system is hand-held thus to allow adjustment of the spot size of the laser beam on the lesion site and thus in turn to determine intensity of the energy per pulse generated at the site.

INTERNATIONAL SEARCH REPORT International Application No

PCT/GB 92/00739

1. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indic		icate all) ⁶			
According to	to International Patent	Classification (IPC) or to both National Classification B 17/36 B 44	essification and	IPC .	-
				_	
II. FIELDS	SEARCHED	Minimum Documer	ntation Searche	<u> </u>	
			lassification S		
Classificati	ion System				
Int.Cl	.5	A 61 B B	44 C		
		. Documentation Searched other to the Extent that such Documents a	han Minimum re Included in t	Documentation he Fields Searched ⁸	
m. Docus	MENTS CONSIDERE	D TO BE RELEVANT 9			Relevant to Claim No.13
Category o	Citation of Do	ocument, 11 with indication, where appropria	ie. of the feleva	ur hanako	Accretant to Clariti , 10.
х	Baltim M.S. S	ence on Lasers and Elec ore, Maryland, 21-24 Ma OBEY et al.: "Flashlamp ent of port wine stains	y 1985, -pumped	OSA/IEEE, dye-laser	1,2,4,5 ,7-9,11 ,12,14
Υ					3,10
Y	115 A 41	829262 (H. FURUMOTO) 9	Mav		3,10
1	1989,	see column 1, line 1 -	column 6	, line 57	1.0.4.0
A					1,2,4-9,13,14
A	EP,A,O INDUST docume	377050 (SUMITOMO ELECT RIES, LTD) 11 July 1990 nt	RIC , see th	e whole	1,7,8,
9 9 1			-/-		
		:.		! !	
				! !	
		·. ,			
	l categories of cited do		or priorit	ment published after the interna y date and not in conflict with th	e application but
CO E	isidered to be of partici	neral state of the art which is not ular relevance ished on or after the international	cited to u invention	inderstand the principle or theory	underlying the
filia "L" doc	ng date sument which may throu	w doubts on priority claim(s) or	cannot be involve a	e considered novel or cannot be on inventive step	onsidered to ·
cita	ition or other special re		cannot be	of particular relevance; the clair considered to involve an inventi	ve step when the
	cument referring to an eler means	oral disclosure, use, exhibition or	ments, su	is combined with one or more of the combination being obvious to	a person skilled
P doc		to the international filing date but e claimed	in the ar	member of the same patent fam	ily
IV. CERTI	FICATION				
Date of the	Actual Completion of t	he International Search	Date of M	failing of this International Searc	th Report
٠.	30-06-1	992		. 07. 92	
Internationa	Searching Authority		Signature	of Authorized Officer	
	EUROPEA	AN PATENT OFFICE	М	aria Peis Man	be Per

International Application No Page 2 PCT/GB 92/00739

(CONTINUED FROM THE SECOND SHEET) III. DOCUMENTS CONSIDERED TO BE RELEVANT Relevant to Claim No. Citation of Document, with Indication, where appropriate, of the relevant passages 1-14 EP,A,0172490 (MEDICAL LASER RESEARCH AND DEVELOPMENT CORP.) 26 February 1986, see page A 1, line 1 - page 6, line 24; page 11, line 9 page 16, line 3 1,6,13 WO,A,9012545 (DERMALASE LTD) 1 November 1990, see page 2, line 10 - page 8, line Physics in Medicine and Biology, vol. 32, no. 12, December 1987, (Bristol, GB), A.R. HENDERSON et 1,7,8, A al.: "The 'light touch': a dermatology handpiece designed to improve the efficacy and safety of laser treatment of port-wine stains", pages 1627-1630

Forst PCT/ISA/210 (extra sheet) (Jamesry 1985)

INTERNATIONAL SEARCH REPORT

mational application No.

PCT/GB92/00739

Box 1 XObserv	ations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This international	search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
because	Nos.: 15 - 22 they relate to subject matter not required to be searched by this Authority, namely: ee Rule 39.1(iv) - PCT:
	or treatment of the human or animal body by surgery or therapy, als diagnostic methods.
2. Claims it because an extent	ios.: they relate to parts of the international application that do not comply with the prescribed requirements to such that no meaningful international search can be carried out, specifically:
3. Claims N because t	ios.: hey are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observa	tions where unity of invention is lacking (Continuation of item 2 of first sheet)
This International	Searching Authority, found multiple inventions in this international application, as follows:
1. As all requestre searchable	uired additional search fees were timely paid by the applicant, this international search report covers all
2. As all sea of any ad	rchable claims could be searches without effort justifying an additional fee, this Authority did not invite payment ditional fee.
3. As only soovers on	ome of the required additional search fees were timely paid by the applicant, this international search report by those claims for which fees were paid, specifically claims Nos.:
4. No requir restricted	ed additional search fees were timely paid by the applicant. Consequently, this international search report is to the invention first mentioned in the claims; it is covered by claims fros.:
Remark on Protest	. The additional search fees were accompanied by the applicant's protest.
	No protest accompanied the payment of additional search fees.
OF POTES A DIA	

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

GB 9200739

58731 SA

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.

The members are as contained in the European Patent Office EDP file on 16/07/92

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

	Patent document cited in search report	Publication date		t family aber(s)	Publication date
			110. 4	5066293	19-11-91
	US-A- 4829262	09-05-89	US-A-		
-	EP-A- 0377050	11-07-90	W0-A-	8912239	14-12-89
-	EP-A- 0172490	26-02-86	JP-A-	61058673	25-03 - 86 29-03-88
	E! // 02/2100		US-A-	4733660	
-	WO-A- 9012545	01-11-90	AU-A-	5422490	16-11-90
_					
			!		
			i I		
			<u> </u>		
			i :		
) 		
			i i		
			i		
			! !		
			1 		
			.		
			,		
			: i		
			į		
			!		
	•		; !		

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

OTHER:

Vertical line cut though lead food

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.